

**Annex A****Mercury-added products**

The following products are excluded from this Annex:

- (a) Products essential for civil protection and military uses;
- (b) Products for research, calibration of instrumentation, for use as reference standard;
- (c) Where no feasible mercury-free alternative for replacement is available, switches and relays, cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for electronic displays, and measuring devices;
- (d) Products used in traditional or religious practices; and
- (e) Vaccines containing thiomersal as preservatives.

**Part I: Products subject to Article 4, paragraph 1**

<i>Mercury-added Products</i>	<i>Date after which the manufacture, import or export of the product shall not be allowed (Phase-out date)</i>
Batteries, except for button zinc silver oxide batteries with a mercury content < 2% and button zinc air batteries with a mercury content < 2%	2020
Switches and relays, except very high accuracy capacitance and loss measurement bridges and high frequency radio frequency switches and relays in monitoring and control instruments with a maximum mercury content of 20 mg per bridge, switch or relay	2020
Compact fluorescent lamps (CFLs) for general lighting purposes that are ≤ 30 watts with a mercury content exceeding 5 mg per lamp burner	2020
Compact fluorescent lamps with an integrated ballast (CFL.i) for general lighting purposes that are ≤ 30 watts with a mercury content not exceeding 5 mg per lamp burner	2025
Linear fluorescent lamps (LFLs) for general lighting purposes: <ul style="list-style-type: none"> <li>(a) Triband phosphor &lt; 60 watts with a mercury content exceeding 5 mg per lamp;</li> <li>(b) Halophosphate phosphor ≤ 40 watts with a mercury content exceeding 10 mg per lamp</li> </ul>	2020
High pressure mercury vapour lamps (HPMV) for general lighting purposes	2020
Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for electronic displays: <ul style="list-style-type: none"> <li>(a) short length (≤ 500 mm) with mercury content exceeding 3.5 mg per lamp</li> <li>(b) medium length (&gt; 500 mm and ≤ 1 500 mm) with mercury content exceeding 5 mg per lamp</li> <li>(c) long length (&gt; 1 500 mm) with mercury content exceeding 13 mg per lamp</li> </ul>	2020
Cold cathode fluorescent lamps (CCFL) and external electrode fluorescent lamps (EEFL) of all lengths for electronic displays, not included in the listing directly above	2025
Cosmetics (with mercury content above 1ppm), including skin lightening soaps and creams, and not including eye area cosmetics where mercury is used as a preservative and no effective and safe substitute preservatives are available <sup>1/</sup>	2020
Pesticides, biocides and topical antiseptics	2020

<sup>1/</sup> The intention is not to cover cosmetics, soaps or creams with trace contaminants of mercury.

The following non-electronic measuring devices except non-electronic measuring devices installed in large-scale equipment or those used for high precision measurement, where no suitable mercury-free alternative is available: (a) barometers; (b) hygrometers; (c) manometers; (d) thermometers; (e) sphygmomanometers.	2020
Strain gauges to be used in plethysmographs;	2025
The following electrical and electronic measuring devices except those installed in large-scale equipment or those used for high precision measurement, where no suitable mercury free alternative is available: (a) Melt pressure transducers, melt pressure transmitters and melt pressure sensors	2025
Mercury vacuum pumps	2025
Tyre balancers and wheel weights	2025
Photographic film and paper	2025
Propellant for satellites and spacecraft	2025

**Part II: Products subject to Article 4, paragraph 3**

<i>Mercury-added products</i>	<i>Provisions</i>
Dental amalgam	<p>Measures to be taken by a Party to phase down the use of dental amalgam shall take into account the Party's domestic circumstances and relevant international guidance and shall include two or more of the measures from the following list:</p> <ul style="list-style-type: none"> <li>(i) Setting national objectives aiming at dental caries prevention and health promotion, thereby minimizing the need for dental restoration;</li> <li>(ii) Setting national objectives aiming at minimizing its use;</li> <li>(iii) Promoting the use of cost-effective and clinically effective mercury-free alternatives for dental restoration;</li> <li>(iv) Promoting research and development of quality mercury-free materials for dental restoration;</li> <li>(v) Encouraging representative professional organizations and dental schools to educate and train dental professionals and students on the use of mercury-free dental restoration alternatives and on promoting best management practices;</li> <li>(vi) Discouraging insurance policies, and programmes that favour dental amalgam use over mercury-free dental restoration;</li> <li>(vii) Encouraging insurance policies and programmes that favour the use of quality alternatives to dental amalgam for dental restoration;</li> <li>(viii) Restricting the use of dental amalgam to its encapsulated form;</li> <li>(ix) Promoting the use of best environmental practices in dental facilities to reduce releases of mercury and mercury compounds to water and land.</li> </ul> <p>In addition, Parties shall:</p> <ul style="list-style-type: none"> <li>(i) Exclude or not allow, by taking measures as appropriate, the use of mercury in bulk form by dental practitioners;</li> <li>(ii) Exclude or not allow, by taking measures as appropriate, or recommend against the use of dental amalgam for the dental treatment of deciduous teeth, of patients under 15 years and of pregnant and breastfeeding women, except when considered necessary by the dental practitioner based on the needs of the patient.</li> </ul>